

数学与系统科学研究院

计算数学所学术报告

报告人: 赵公允教授

(新加坡国立大学数学系)

报告题目: The basis partition of
the space of linear programs (I)

报告时间: 2007年12月21日(周五)

下午 4:30—5:30

报告地点: 科技综合楼三层 311

计算数学所报告厅

Abstract: We consider the space of all linear programs
with n nonnegative variables and m equality constraints.

Each linear program (LP) is associated with a basis (a basis
is a subset of indices $\{1, 2, \dots, n\}$), in the sense that the limit of
the central path of the LP, which is an optimal solution of
the LP, corresponds to a unique basis. There are only a

finite number of bases. Thus, the space of linear programs (SLP) can be partitioned into a finite number of sets S_1, S_2, \dots, S_k , each set containing all LPs which are associated with a common basis, (so called the basis partition). If this partition of the SLP can be explicitly characterized, then we can solve any set of (infinitely many) linear programs, e.g. a parametric LP, in the closed form. A novel tool for characterizing this partition of the SLP is presented as follows. Relating to the central path, there exists a universal ordinary differential equation $M' = h(M)$ defined on projection matrices M . For any LP, one can define a projection matrix, starting from which the solution of $M' = h(M)$ converges to a limit projection matrix which can determine the optimal basis of the LP. This establishes a corresponding partition on the space of projection matrices, denoted by G . G is the well-known Grassmann manifold. With the help of the vector field $h(M)$ on the Grassmann manifold G , it is promising to discover full characterization of the partition of the SLP. We will present some properties related to the SLP found so far. Full structure of the basis partition of SLP is still awaiting an exploration.